

PRODUCT RANGE

SINKS TAPS ACCESSORIES

www.the1810company.co.uk

Contents

Sinks

Bespoke	11
Axix Range	13
Zen Range	29
Zen15 Range	49
Zen15 PVD Range	63
Zen I-F Range	67
Zen15 I-F Range	73
Zen15 XXL Range	81
Zen15 Belfast Range	85
Zen10 Options Range	87
Accessible Range	95
Accessory Trough Range	97
LuxsoPlus Range	101
Etro Range	113
Razor10 Range	123
Forza Range	127
Bordo Range	131
Velore Range	135
<u>purquartz</u> Blade Range	139
<u>purquartz</u> Shard Range	143
<u>purquaitz</u> Delta Range	149
<u>purquaitz</u> Cava Range	153
Argilla Fireclay Range	157
Etro Ceramic Range	163

Taps

Fontaine	166
Courbe	167
Cascata	168
Pluie	169
Davanti	170
Curvato	171
Ruscello	172
1810XXX	173
Pendenza	174
Davanti Pull out spray	175
Grande	176
Versare	177
Finire Knurled	178
Aero	179
Novanta	180
Spirale Spring	181
Spriale Knurled	182
Spirale	183
Spirale Colours	184
Spruzzo	185
Curvato Trio filter tap	186
1810 XXX <u>purquartz</u> effect	188
Courbe Duo - Black purquartz effect	189
Courbe Duo - White purquartz effect	190
Courbe - Chrome purquartz effect	191
Cascata - Chrome <u>purquartz</u> effect	192
Courbe - Copper <u>purquaitz</u> effect	193
Cascata - Copper <u>purquartz</u> effect	194
Courbe - Gold Brass purquartz effect	195
Cascata - Gold Brass <u>purquaitz</u> effect	196

Traditional Taps

Rodez	198
Moulins	199

Industrial-Style Taps Henry Holt Collection

Single Lever	202
Twin Lever	203
Bridge Mixer	204
Wall Mounted	205

Integrated Soap Dispenser

Integrated Soap Dispenser	208
Waste Bins	209
Sinks/Taps quick ref	211
Accessories quick ref	221
Base unit size guide	223
Care & Cleaning	225
Warranty	226

Kandes...

Bespoke

The 1810 Bespoke service allows you to create a unique sink design to your own specification.

Axix Range

This unique concept allows for a combination of solid surface, quartz or stone and a contemporary designed sink.



Zen Range

The Zen range is a contemporary linear design with striking square and rectangular bowls.



The Zen15 range has a contemporary linear design with a subtle 15mm internal radius

Zen15 PVD Range

A selection of handmade bowls finished in a durable PVD coating.

The Zen15 I-F range are handmade insets with a 15mm internal radius



3

Zen I-F Range

Zen15 I-F Range

The Zen I-F range are handmade insets with a slim 1.5mm profile for a flush look.



Zen15 XXL Range The Zen15 XXL range are extra large handmade undermounts with a 15mm internal radius.



6

Zen15 Belfast Range

A contemporary option to a traditional Belfast sink which looks perfect in both traditional and modern kitchen designs.



Zen10 Options Range

A range of contemporary undermount sinks with a choice of versatile accessories to turn your sink into a multi-purpose workstation.



Accessible Range

A sink and tap combination suitable for use in accessible kitchens



Accessory Trough Range

The versatile Accessory Trough range is the perfect final touch to every kitchen.



LuxsoPlus Range

The Luxsoplus range is a contemporary design with 25mm radius corners.



Etro Range

The Etro range has a curved classic design.

Razor10 Range

A range of stainless steel inset sinks featuring a 10mm radius and contemporary 'Razor' edge profile.

Forza Range

The handmade Forza range feature a 15mm internal radius and benefit from 1.2mm thick steel providing strength and durability.



Bordo Range

A range of inset sinks featuring the latest in contemporary design.

Velore Range

The Velore range combines modern design, high specification and competitive pricing.

purquartz Blade Range

A range of inset Purquartz sinks in a choice of six popular colourways.



purquartz Shard Range

purquartz Delta Range

A comprehensive range of stylish, Purquartz inset sinks in a selection of tonal colourways.

purquartz Cava Range

Quartz undermounts for a contrasting finish to your solid surface.

15

Argilla Fireclay Range

A range of highly durable white fireclay sinks featuring a non-porous surface with an everlasting shine.



Etro Ceramic Range

The Etro Ceramic range has a curved classic design.

17

Contemporary Taps

1810 taps are available in a variety of contemporary and classic designs. All are supplied with a Neoperl Aerator for a non-splash creamy flow



purquartz Taps

A selection of 1810 taps that will match perfectly with your Purquartz sink.



Traditional / Industrial-Style Taps

Timeless kitchen taps in a choice of stylish finishes.

Soap Dispenser

A top filled liquid soap dispenser, easy to install and available in a range of colours.


Waste bins and Quick Ref Guide

Quartz insets in a choice of contemporary colours.

Welcome...

to The 1810 Company.

We supply an evergrowing range of sinks, taps and accessories, and that's it! We have a simple philosophy, which is to supply innovative and contemporary European design in a wide range of standard and more unique size combinations, appealing to those who appreciate superior quality and style.



All our products are in stock and despatched from our UK distribution centre on a next working day delivery service (cut-off times apply).

www.the1810company.co.uk







Islington Trade Showroom

The 1810 trade showroom is located in the Business Design Centre, London. The majority of our sinks and taps are showcased here together with our latest products and innovations.

As we hold regular trade events at the showroom, we would recommend that you telephone ahead of your visit to ensure that there will be someone available to meet with you.

Address.

Suite 303, Business Design Centre Upper Street, The Angel, London N1 0QH

Tel. 07754 757322 Email. sales@the1810company.co.uk

Opening hours: Our Islington showroom is not manned every day. Please call to book an appointment.

Visiting us

By train: We are 5 minutes walk from The Angel tube station (Northern line) allowing you to travel to and from Central London in minutes. Just a little further in the opposite direction is Highbury and Islington with great underground and overground connections.

By car: Driving to the venue is simple as we are located just outside the congestion charge zone on the A1, there is also a NCP car park onsite






HUB The 1810 Hub


Our NEW mobile app is an efficient and simple to use ordering system, fully compatible with industry management software such as EQ Software and Compusoft.

Streamline your ordering process with 24/7 access to place orders, view favourites and order history, compile shopping lists, check stock and make payments whenever or wherever is convenient.


Get your entire workforce connected to our market-leading online ordering platform to take full advantage of our latest offers and multi-buy promotions.

Please visit www.the1810company.co.uk to register for the 1810 HUB.





NOW AVAILABLE ON APPLE AND ANDROID



The Brand Ambassado Elite Programme.

The Brand Ambassador Elite programme has been formed to allow us to develop a stronger relationship with our core retailers.

Our Brand Ambassadors enjoy additional display benefits, online margin guarantee, a guarterly rebate. dedicated point of sale, sales designer incentive scheme, quarterly prize draw, dual branded corporate clothing, dedicated phone line, no minimum order charge and much, much more!

Don't just take our word for it, read what some of our Brand Ambassadors have to say about the scheme and why they would recommend it to you...



Paul O'Brien, owner of Elite Kitchen Designs, Swinton, Manchester

The 1810 Company provide a great range of products to suit all budgets together with a back-up service which is second to none. The staff have superb product knowledge and are always at the end of the phone should we require any advice or technical information. This, together with a straightforward ordering process and overnight delivery, keeps everything ticking over nicelv!



 \bigcirc

 \bigcirc

Paul Byrne, retail manager of QK Living, Walkinstown, Dublin

Having searched for something new and exciting that would encourage our customers to have enthusiasm in selecting their sink and tap, we discovered The 1810 Company. The benefits offered on the Brand Ambassador Programme are really useful to our company and we are genuinely excited about working with 1810 moving forward.



Richard Webster and Denise Denney, owners of Impact Kitchens, Blackpool

We were attracted to the Brand Ambassador Programme because we prefer to work with one supplier and the benefits the scheme provides, such as the display offers and branded corporate clothing works well for us. The 1810 Company are a good, reliable supplier of high-quality sinks and taps which are backed by a generous guarantee.



Rob and Liane Kemp, owners of Kemphaus Kitchens, Bishop's Stortford

We've really enjoyed working with The 1810 Company over the years so when we were asked to be part of the Brand Ambassador Programme we jumped at the chance. The associated benefits are superb and we have more face-to-face contact with our 1810 business development manager than any of our other suppliers. 1810 genuinely care about their customers and really want to work alongside them.



Mick Jackson, owner of MJ Interiors Kitchens, Stockton-on-Tees.

I was honoured when I was asked to be an Ambassador for 1810. The programme ensures that the displays in my showroom are kept up to date. The fast turnaround from ordering through to delivery, along with a quarterly rebate and branded corporate clothing just goes to show that 1810 really do go out of their way to help you and your business thrive.



Joe Nash, managing director of Celtic Interiors Fitted Furniture Ltd, Cork, Republic of Ireland

We have had nothing but a positive experience with The 1810 Company since joining the Brand Ambassador Programme. 1810's brand image and product quality are very much in keeping with those of Celtic Interiors so we feel 1810 is the perfect partner for us. The benefits of the scheme are extremely rewarding and we are looking forward to developing our working relationship moving forward.



Gary McGowan and Rob Thorpe, owners of Studio 35, York

The true benefit of being part of the Brand Ambassador Programme is being a member of The 1810 Company's Eilte network. If you are looking for a loyal supplier of quality products with a genuine enthusiasm for your business then 1810 is the one. Their Brand Ambassador Programme offers great benefits, great products and a great team – the perfect partnership!



Steve Perrio, director of Simply Kitchens, Fareham.

I would highly recommend The 1810 Company to other retailers. 1810 sinks and taps are excellent quality, very competitively priced and the range covers pretty much every requirement. Being part of the Brand Ambassador Programme is the icing on the cake!

And now the boring stuff...

We don't want to be too technical but there are some features about The 1810 Company sinks and taps we think you would like to know.









Here at The 1810 Company we like to keep things simple so you will notice in our model codes 'BBR' & 'BBL' this is an easy reference for you when ordering...

BBR - Big bowl right BBL - Big bowl left See... simple! Quality of manufacturing and integrity of the sinks is very important. We brace all two bowl sinks to eliminate stress on the bridge between the bowls and strengthen the construction (available on all Zen, Luxsoplus and Etro steel sinks). During manufacture we go the extra mile to finish the edges on our undermount sinks even though it isn't seen when fitted. It also allows certain models to be inset / topmounted for a more luxurious look. The quality of steel we use meets the most exacting standards 1.2mm, 18 gauge is used for our Zen, Etro, Forza and Luxsoplus models and all steel used is medical grade 18/10 304 quality. The best for stainless steel sink manufacturing.



High heat resistance (1200°C) hygienic and non-porous as well as chemical resistant makes our **CERVICA PORO** a popular choice. The ultra smooth white surface gives a clean look. Make sure you follow the installation guide.



Fireclay sinks are heat resistant to 1600°C and are hygienic, non-porous and chemical resistant. They are extremely hardwearing and feature an everlasting shiny surface.



The <u>DUTQUOITZ</u> range is manufactured using German technology. Comprising of 80% natural Quartz particles, the sinks are heat resistant (230°C) food stain resistant and will withstand impact. These sinks are durable and made to last, backed by our 75 year guarantee.



What is PVD? PVD stands for Physical Vapour Deposition. A process used to create a very durable, corrosion and tarnish free finish. PVD is extremely durable but not invincible, scratches will appear as they do with stainless steel but will also develop a patina with time.



INSUSOUND®-

Our sinks are treated on the underside with a protective powder coating, which we call 'Insusound'. This will help retain the heat of the water in the bowl, and dramatically reduce noise when fitting a waste disposal unit. (Available on all Zen, Luxsoplus and Etro steel sinks).



A Compact Plumbing Kit is available as a no cost option – please specify at time of sink purchase.

Most 1810 sinks are supplied with a BS approved maximiser plumbing kit, which is also available to purchase separately. This kit is comprehensive and includes all parts required for any sink installation. \mathbf{O}

 \mathbf{O}

 \mathbf{O}

 \mathbf{O}

 \mathbf{O}

Please refer to the 'How to assemble' video on our website.

CE

1810 products are manufactured to the highest standard. In accordance with the Construction Products Directive (89 / 106 / EEC), all of our sinks are tested to BS EN 13310: 2003 / BS EN 13310 : 2015 and are CE certified.



The majority of our taps have WRAS approval. Look out for the logo on our tap pages. WRAS Approval is granted by representatives of water suppliers and is therefore accepted by every water supplier in the UK. WRAS Approval is the best way to ensure compliance and that your tap is manufactured to the highest standards.

THE 1810 COMPANY SUPPORTS



REG CHARITY: 1062559 (ENGLAND & WALES), SC039757 (SCOTLAND)

Are a dedicated charity who support young people who have been diagnosed with cancer in the UK. For every 1810 Curvato Trio tap purchased, we will donate £5 to this very worthy cause.



Business management software for the kitchen, bedroom and bathroom industry.



A powerful sales tool to help kitchen dealers create advanced kitchen designs in minutes.



Bespoke kitchen sink manufacturing service

The **1810 Bespoke** service allows you to create a unique sink design either for personal preference or to work within design and space limitations.

Please see below for examples of Bespoke project requests undertaken.






Image shown - Set B. AXIX Set A and Set B are suitable for installation in a 600mm cabinet



This unique concept allows for a combination of solid surface, quartz or stone and a contemporary designed sink to give a finished look of a steel bottomed material clad sink but without a join between the surface and the sink at the base, that previously was the only option.

This system allows for a straightforward fabrication method that can be completed in the workshop using standard tools and create a watertight solution that allows the use of hot/boiling water taps and creates an upmarket contemporary finish.

The AXIX sinks are manufactured to the same exacting standards of every 1810 sink using 1.2mm, 304 grade stainless steel. A PVD finish in Copper, Gunmetal or Gold Brass is also available. All sinks have protective powder coating on the underside (Insusound) which insulates helping to retain the heat of the water in the bowl whilst also reducing noise if a waste disposer is fitted. A full maximiser plumbing kit is also supplied providing all parts required for any sink installation.


AXIX is also backed by our 75 year guarantee that warrants the sinks to be free of manufacturing defects in material and workmanship under normal usage. Any warranty on the fabrication component is the responsibility of the fabricator or retailer.








Please visit: www.the1810company.co.uk/actual-installations/ for more images





Images shown are actual installations, please visit our website for the latest images www.the1810company.co.uk/actual-installations/






Images shown are actual installations, please visit our website for the latest images www.the1810company.co.uk/actual-installations/









A combination of bowl sizes can be used for bigger base units



ZEN COLANDER DRAINER GUNMETAL

GUNMETAL

AXIXUNO 190U

- Handmade bowl
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

16mm - Solid Surface


 Sink Model
 AXIXUNO 190U STAINLESS STEEL SOS AU/19/U/S/16MM/SOS/456

 Sink Model
 AXIXUNO 190U COPPER SOS AU/19/U/COP/16MM/SOS/556

 Sink Model
 AXIXUNO 190U GUNMETAL SOS AU/19/U/GM/16MM/SOS/656

 Sink Model
 AXIXUNO 190U GUD BRASS SOS AU/19/U/GB/16MM/SOS/756





Minimum cabinet size: 300mm



ZEN COLANDER DRAINER GUNMETAL AC-AXIX-COL-GM

GUNMETAL


AXIXUNO 210U

- Handmade bowl
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

26mm - Stone/Quartz/Ceramic

- Sink Model AXIXUNO 210U STAINLESS STEEL QG 1810 Code AU/21/U/S/26MM/QG/459 Sink Model AXIXUNO 210U COPPER QG 1810 Code AU/21/U/COP/26MM/QG/559 Sink Model AXIXUNO 210U GUNMETAL QG 1810 Code AU/21/U/GM/26MM/QG/659 Sink Model AXIXUNO 210U GOLD BRASS QG
- 1810 Code AU/21/U/GB/26MM/QG/759








AXIXUNO 450U

- Handmade bowl
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 500mm

16mm - Solid Surface


Sink Model	AXIXUNO 450U STAINLESS STEEL SOS
1810 Code	AU/45/U/S/16MM/SOS/450
Sink Model	AXIXUNO 450U COPPER SOS
1810 Code	AU/45/U/COP/16MM/SOS/550
Sink Model	AXIXUNO 450U GUNMETAL SOS
1810 Code	AU/45/U/GM/16MM/SOS/650
Sink Model	AXIXUNO 450U GOLD BRASS SOS
1810 Code	AU/45/U/GB/16MM/SOS/750



26mm - Stone/Quartz/Ceramic

Sink Model	AXIXUNO 450U STAINLESS STEEL QG
1810 Code	AU/45/U/S/26MM/QG/451
Sink Model 1810 Code	AXIXUNO 450U COPPER QG AU/45/U/COP/26MM/QG/551
Sink Model 1810 Code	AXIXUNO 450U GUNMETAL QG AU/45/U/GM/26MM/QG/651
Sink Model 1810 Code	AXIXUNO 450U GOLD BRASS Q AU/45/U/GB/26MM/QG/751





STAINLESS STEEL

ZEN COLANDER DRAINER

Handmade bowl

Insusound[®]

Individually boxed

AXIXUNO 500U

3¹/₂" basket strainer waste

and overflow included

Steel thickness 1.2mm

Axix waste tidy included

Maximiser plumbing kit inc.

Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 600mm

AC-AXIX-COL-SS

ZEN COLANDER DRAINER GOLD BRASS

Sink Model

1810 Code

Sink Model

1810 Code

Sink Model

1810 Code

Sink Model

1810 Code

AC-AXIX-COL-GB

ZEN COLANDER DRAINER COPPER

AC-AXIX-COL-COP

16mm - Solid Surface

STAINLESS STEEL SOS

AU/50/U/S/16MM/SOS/452

AXIXUNO 500U COPPER SOS

AU/50/U/COP/16MM/SOS/552

AU/50/U/GM/16MM/SOS/652

AU/50/U/GB/16MM/SOS/752

AXIXUNO 500U GUNMETAL SOS

AXIXUNO 500U GOLD BRASS SOS

- 16

200 S

AXIXUNO 500U

GOLD BRASS

6

COPPER

GUNMETAL

ZEN COLANDER DRAINER GUNMETAL

26mm - Stone/Quartz/Ceramic

STAINLESS STEEL QG

Sink Model AXIXUNO 500U GUNMETAL QG

Sink Model AXIXUNO 500U GOLD BRASS QG

AU/50/U/S/26MM/QG/453

AXIXUNO 500U COPPER QG

AU/50/U/COP/26MM/QG/553

AU/50/U/GM/26MM/QG/653

AU/50/U/GB/26MM/QG/753

-165-

808

26

AXIXUNO 500U

AC-AXIX-COL-GM

Sink Model

1810 Code

Sink Model

1810 Code

1810 Code

1810 Code



AXIXUNO 700U

- Handmade bowl
- Insusound[®] ⊗
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 800mm


16mm - Solid Surface

Sink Model 1810 Code	AXIXUNO 700U STAINLESS STEEL SOS AU/70/U/S/16MM/SOS/454
Sink Model	AXIXUNO 700U COPPER SOS
1810 Code	AU/70/U/COP/16MM/SOS/554
Sink Model	AXIXUNO 700U GUNMETAL SOS
1810 Code	AU/70/U/GM/16MM/SOS/654
Sink Model	AXIXUNO 700U GOLD BRASS SOS
1810 Code	AU/70/U/GB/16MM/SOS/754

26m	m - Stone/Quartz/Ceramic	
Sink Model	AXIXUNO 700U STAINLESS STEEL QG	

S

1810 Code	AU/70/U/S/26MM/QG/455
Sink Model	AXIXUNO 700U COPPER QG
1810 Code	AU/70/U/COP/26MM/QG/555
Sink Model	AXIXUNO 700U GUNMETAL QG
1810 Code	AU/70/U/GM/26MM/QG/655
Sink Model	AXIXUNO 700U GOLD BRASS QC
1810 Code	AU/70/U/GB/26MM/QG/755






AXIXUNO - SET A

- Handmade bowls
- Insusound[®] Ø
- 3¹/₂" and mini basket strainer wastes and overflows included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

SET A - 16mm

Sink Model 1810 Code	AXIXUNO SET A - 355U & 150U STAINLESS STEEL (full half bow AU/3515-400/U/S/16MM/SOS/457
Sink Model 1810 Code	AXIXUNO SET A - 355U & 150U COPPER (full half bowl) AU/3515-400/U/COP/16MM/SOS/557
Sink Model 1810 Code	AXIXUNO SET A - 355U & 150U GUNMETAL (full half bowl) AU/3515-400/U/GM/16MM/SOS/657
Sink Model 1810 Code	AXIXUNO SET A - 355U & 150U GOLD BRASS (full half bowl) AU/3515-400/U/GB/16MM/SOS/757





ZEN COLANDER DRAINER AC-AXIX-COL-SS

ZEN COLANDER DRAINER GOLD BRASS AC-AXIX-COL-GB



ZEN COLANDER DRAINER COPPER AC-AXIX-COL-COP




1)

AXIXUNO - SET B

- Handmade bowls
- Insusound[®] 😣
- 3¹/₂" and mini basket strainer wastes and overflows included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit inc.
- Axix waste tidy included
- Available in stainless steel, copper, gunmetal & gold brass

Minimum cabinet size: 600mm

	AXIXUNO SET B - 355U & 150U STAINLESS STEEL (short half bow AU/3515-300/U/S/16MM/SOS/458
	AXIXUNO SET B - 355U & 150U COPPER (short half bowl) AU/3515-300/U/COP/16MM/SOS/558
	AXIXUNO SET B - 355U & 150U GUNMETAL (short half bowl) AU/3515-300/U/GM/16MM/SOS/658
	AXIXUNO SET B - 355U & 150U GOLD BRASS (short half bowl) AU/3515-300/U/GB/16MM/SOS/758



29



The Zen Range

The Zen range is a contemporary linear design featuring striking square and rectangular bowls.

4

11.




SINK Model ZENUNO 180U

- Undermounted handmade bowl, can also be flushmounted or inset
- Satin finish
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing . kit included


Minimum cabinet size: 300mm For accessories see page 221







1810 Code ZU/18/U/S/017





SINK Model ZENUNO 340U


- Undermounted handmade bowl Can also be flushmounted or inset
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 400mm For accessories see page 221





1810 Code ZU/34/U/S/018





SINK Model ZENUNO 340U DEEP

1810 Code ZU/34/U/D/S/70

- Undermounted handmade bowl, can also be flushmounted or inset
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 400mm For accessories see page 221







SINK Model ZENUNO 400U

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 450mm For accessories see page 221





Shown with waste tidy, see page 221

1810 Code ZU/40/U/S/019





SINK Model ZENUNO 400U DEEP


1810 Code ZU/40/U/D/S/071

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221







Shown with waste tidy, see page 221



SINK Model ZENUNO 450U

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 500mm For accessories see page 221





Shown with waste tidy, see page 221

1810 Code ZU/45/U/S/020






SINK Model ZENUNO 500U

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





1810 Code ZU/50/U/S/021

ARGUARANT





SINK Model ZENUNO 500U DEEP


1810 Code ZU/50/U/D/S/074

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included





Shown with waste tidy, see page 221







"With many people having waste bins, hot taps and waste disposers in their sink base, the offset waste model maximises the space available"


SINK Model ZENUNO 500U OSW

1810 Code ZU/50/U/S/OSW/061

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (A)
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included









"Generous dimensions for large oven trays and pans"

SINK Model ZENUNO 700U


- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing . kit included

Minimum cabinet size: 800mm For accessories see page 221





1810 Code ZU/70/U/S/023






SINK Model ZENUNO 700U OSW

1810 Code ZU/70/U/S/OSW/062

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included








Image shown ZENDUO 340/180U BBL

SINK Model ZENDUO 340/180U BBL SINK Model ZENDUO 180/340U BBR

1810 Code ZD/3418/U/S/BBL/022 1810 Code ZD/1834/U/S/BBR/024


- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] ⊗
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included



Zenduo 180/340U BBR



Zenduo 340/180U BBL Shown with waste tidy, see page 221





bigger main bowl for larger cooking utensils"

Image shown ZENDUO 550/180U BBL

SINK Model ZENDUO 550/180U BBL SINK Model ZENDUO 180/550U BBR

1810 Code ZD/5518/U/S/BBL/028 1810 Code ZD/1855/U/S/BBR/029


- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221



Zenduo 180/550U BBR





Zenduo 550/180U BBL

Shown with waste tidy, see page 221




SINK Model ZENDUO 700/180U

1810 Code ZD/7018/U/D/S/072

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included









SINK Model ZENDUO 340/340U

1810 Code ZD/3434/U/S/075

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] ⊗
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included





Shown with waste tidy, see page 221



"Two good sized bowls, very practical"

SINK Model ZENDUO 400/400U

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 900mm For accessories see page 221







1810 Code ZD/4040/U/S/025



Shown with waste tidy, see page 221

extra 79mm depth and a clever divider allowing 2 bowls to be used independently or have 1 big bowl³³

⁶⁶Similar to the ZD 400/400 but with an

SINK Model ZENDUO 415/415U DEEP

1810 Code ZD/4141/U/D/S/073

EXTRA DEEP


BOW

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] ⊗
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221



11-11






always want to use your dishwasher

SINK Model ZENTRIO 340/180/340U

1810 Code ZT/341834/U/S/115

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included







can have the WOW factor with this sink³⁹

SINK Model ZENUNO 675U CURVE


1810 Code ZU/675/U/S/200

- Undermounted handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] ⊗
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm or corner base For accessories see page 221







The Zen15 Range

The Zen15 range features a contemporary linear design with a subtle 15mm internal radius.

11.11



SINK Model ZENUNO15 200U


Undermounted 15mm radius handmade bowl includes clips for flush or inset installation

- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 300mm For accessories see page 221








1810 Code ZU/20/U15/S/086

GUARAN



SINK Model ZENUNO15 340U

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 400mm For accessories see page 221







1810 Code ZU/34/U15/S/087






SINK Model ZENUNO15 400U


Undermounted 15mm radius handmade bowl includes clips for flush or inset installation

- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included









Shown with waste tidy, see page 221




SINK Model ZENUNO15 500U

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221







1810 Code ZU/50/U15/S/088

Shown with waste tidy, see page 221






SINK Model ZENUNO15 500U OSW


1810 Code ZU/50/U15/S/OSW/066

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®]
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included










SINK Model ZENUNO15 550U

1810 Code ZU/55/U15/S/081

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included










SINK Model ZENUNO15 550U DEEP


1810 Code ZU/55/U15/D/S/078

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included










SINK Model ZENUNO15 700U

1810 Code ZU/70/U15/S/083

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221





59




SINK Model ZENUNO15 700U OSW

1810 Code ZU/70/U15/S/OSW/067

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included








SINK Model ZENUNO15 700U DEEP

1810 Code ZU/70/U15/D/S/077

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included









ZENDUO15 340/180U BBL


SINK Model ZENDUO15 340/180U BBL 1810 Code ZD/3418/U15/S/BBL/085 SINK Model ZENDUO15 180/340U BBR 1810 Code ZD/1834/U15/S/BBR/082

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included



ZENDUO15 180/340U BBR





ZENDUO15 340/180U BBL Shown with waste tidy, see page 221



⁴⁴A larger version of the 340/180 15R with bigger bowls for larger cooking utensils³⁹

Image shown ZENDUO15 550/200U BBL

SINK Model ZENDUO15 550/200U BBL 1810 Code ZD/5520/U15/S/BBL/150 SINK Model ZENDUO15 200/550U BBR 1810 Code ZD/2055/U15/S/BBR/151


- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 900mm For accessories see page 221



ZENDUO15 200/550U BBR







Shown with waste tidy, see page 221



"Two good sized bowls, very practical"


SINK Model ZENDUO15 400/400U

1810 Code ZD/4040/U15/S/084

- Undermounted 15mm radius handmade bowl includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included









A selection of handmade bowls finished in a durable PVD coating.




Image shown ZENUNO15 400U - GUNMETAL

SINK Model ZENUNO15 400U - COPPER SINK Model ZENUNO15 400U - GUNMETAL SINK Model ZENUNO15 400U - GOLD BRASS

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] (N)
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brass
 see page 215

Minimum cabinet size: 450mm For accessories see page 221




ZENUNO15 400U - COPPER



ZENUNO15 400U - GOLD BRASS

1810 Code ZU/40/U15/COP/600 1810 Code ZU/40/U15/GM/601 1810 Code ZU/40/U15/GB/606






Image shown ZENUNO15 500U - COPPER

SINK Model ZENUNO15 500U - COPPER SINK Model ZENUNO15 500U - GUNMETAL SINK Model ZENUNO15 500U - GOLD BRASS

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] Ø
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brass
 see page 215

Minimum cabinet size: 600mm For accessories see page 221




ZENUNO15 500U - GUNMETAL



ZENUNO15 500U - GOLD BRASS

1810 Code ZU/50/U15/COP/602 1810 Code ZU/50/U15/GM/603 1810 Code ZU/50/U15/GB/607





ZEN COLANDER DRAINER GOLD BRASS AC-ZEN-COL-GB

Image shown ZENUNO15 700U - GOLD BRASS

1810 Code ZU/70/U15/COP/604 1810 Code ZU/70/U15/GM/605 1810 Code ZU/70/U15/GB/608


SINK Model ZENUNO15 700U - COPPER SINK Model ZENUNO15 700U - GUNMETAL SINK Model ZENUNO15 700U - GOLD BRASS

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- PVD coated in a copper, gunmetal or gold brass finish
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Insusound[®] (※)
- Steel thickness 1.2mm
- Individually boxed
- Waste Tidy available in Copper, Gunmetal and Gold Brass
 see page 215

Minimum cabinet size: 800mm For accessories see page 221

ZENUNO15 700U - COPPER





ZENUNO15 700U - GUNMETAL

The Zen I-F Range

The I-F range are handmade insets with a slim 1.5mm profile for a flush look.

(ALL)

4



Image shown ZENDUO 310/180 I-F BBL

1810 Code ZD/3118/IF/S/BBL/006

1810 Code ZD/1831/IF/S/BBR/005


SINK Model ZENDUO 310/180 I-F BBL SINK Model ZENDUO 180/310 I-F BBR

- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] Ø
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included



ZENDUO 180/310 I-F BBR







Good size deep bowl with 2 drainers, what more can you say!"


SINK Model ZENUNO 45 I-F DEEP

1810 Code ZU/45/IF/D/S/045

- Handmade inset bowl. can also be flushfit or undermounted Satin finish
- Insusound[®] (※)
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included










Image shown ZENUNO 5I-F BBL

SINK Model ZENUNO 5 I-F BBL SINK Model ZENUNO 5 I-F BBR


- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221



Zenuno 5 I-F BBR





1810 Code ZU/5/IF/S/BBL/039

1810 Code ZU/5/IF/S/BBR/026

Zenuno 5 I-F BBL

Shown with waste tidy, see page 221



Generously proportioned deep bowl and drainer, swallows up the biggest pans!

Image shown ZENUNO 70I-F BBL

SINK ModelZENUNO 70 I-F DEEP BBL18SINK ModelZENUNO 70 I-F DEEP BBR18


1810 Code ZU/70/IF/D/S/BBL/040 1810 Code ZU/70/IF/D/S/BBR/041

 Handmade inset bowl, can also be flushfit or undermounted
 Satin finish
 Insusound[®] ^(®)
 3½" basket strainer waste and overflow included
 Individually boxed
 Steel thickness 1.5mm
 Maximiser plumbing kit included









Zenuno 70 I-F BBL Shown with waste tidy, see page 221





A traditional inset sink handmade for a contemporary look³³

Image shown ZENDUO 6I-F BBL

SINK Model ZENDUO 6 I-F BBL SINK Model ZENDUO 6 I-F BBR

- Handmade inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included


Minimum cabinet size: 600mm For accessories see page 221



Zenduo 6 I-F BBR







Zenduo 6 I-F BBL

Shown with waste tidy, see page 221

The Zen15 I-F Range

(Dr

The Zen15 I-F range are handmade insets with a 15mm internal radius.

(The


SINK Model ZENUNO15 400 I-F


1810 Code ZU/40/IF/U15/S/089

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221







5




SINK Model ZENUNO15 500 I-F

1810 Code ZU/50/IF/U15/S/090


- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





5



SINK Model ZENUNO15 700 I-F

1810 Code ZU/70/IF/U15/S/099

- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] 🛞
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221








Image shown ZENUNO15 5 I-F BBL

SINK Model ZENUNO15 5 I-F BBL SINK Model ZENUNO15 5 I-F BBR

1810 Code ZU/5/IF/U15/S/BBL/153 1810 Code ZU/5/IF/U15/S/BBR/152


- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
 Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221



Zenuno15 5 I-F BBR





Zenuno15 5 I-F BBL

Shown with waste tidy, see page 221




Image shown ZENUNO15 55I-F BBL

SINK Model ZENUNO15 55 I-F BBL SINK Model ZENUNO15 55 I-F BBR

1810 Code ZU/55/IF/U15/S/BBL/156 1810 Code ZU/55/IF/U15/S/BBR/157


- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221



Zenuno15 55 I-F BBR





Zenuno15 55 I-F BBL

Shown with waste tidy, see page 221

IIII

100






Image shown ZENDUO15 6 I-F BBL

SINK Model ZENDUO15 6 I-F BBL SINK Model ZENDUO15 6 I-F BBR

1810 Code ZD/6/IF/U15/S/BBL/155 1810 Code ZD/6/IF/U15/S/BBR/154

00+00

01-8

-0-

25

Ø35

 Handmade 15mm radius inset bowl, can also be flushfit or undermounted
 Satin finish
 Insusound[®] [®]
 3½" basket strainer waste and overflow included
 Individually boxed
 Steel thickness 1.5mm
 Maximiser plumbing kit included
 Maximiser plumbing protection
 Maximiser plumbing for accessories see page 221



Zenduo15 6 I-F BBR



Zenduo15 6 I-F BBL

Shown with waste tidy, see page 221



Image shown ZENDUO15 34/34 I-F BBL

SINK Model ZENDUO15 34/34 I-F BBL 1810 Code ZD/3434/IF/U15/S/BBL/158 SINK Model ZENDUO15 34/34 I-F BBR 1810 Code ZD/3434/IF/U15/S/BBR/159


- Handmade 15mm radius inset bowl, can also be flushfit or undermounted
- Satin finish
- Insusound[®] (
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.5mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221



Zenduo15 34/34 I-F BBR






Zenduo15 34/34 I-F BBL

Shown with waste tidy, see page 221

The ZEN15 XXL Range

The Zen15 XXL range are extra large handmade sinks with a 15mm internal radius.



SINK Model ZENUNO15 550U XXL DEEP


1810 Code ZU/55/U15/D/S/XXL/501

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included


Minimum cabinet size: 600mm For accessories see page 221







Check worktop size before ordering, sink does not fit in a standard 600mm worktop



SINK Model ZENUNO15 750U XXL DEEP


1810 Code ZU/75/U15/D/S/XXL/502

- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 900mm For accessories see page 221



Shown with waste tidy, see page 221



Check worktop size before ordering, sink does not fit in a standard 600mm worktop



Image shown ZENDUO15 550/340U XXL DEEP BBL

SINK Model ZENDUO15 550/340U XXL DEEP BBL SINK Model ZENDUO15 340/550U XXL DEEP BBR

1810 Code ZD/5534/U15/D/S/XXL/503 1810 Code ZD/3455/U15/D/S/XXL/504


- Undermounted 15mm radius handmade bowl
- Includes clips for flush or inset installation
- Satin finish
- Insusound[®] (※)
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included

Minimum cabinet size: 1000mm For accessories see page 221



Zenduo15 340/550U XXL DEEP BBR





Check worktop size before ordering, sink does not fit in a standard 600mm worktop

The ZEN15 Belfast Range

A contemporary option to a traditional Belfast sink which looks perfect in both traditional and modern kitchen designs.


SINK Model ZENUNO15 600U BELFAST

1810 Code ZU/600/15/BEL/S/860

- Handmade
- Satin finish
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2 mm
- Maximiser plumbing kit included







The ZEN10 Options Range

A range of contemporary undermount sinks with a choice of versatile accessories to turn your sink into a multi-purpose workstation.

Because the kitchen is the heart of the home

- Prepare
- Cook
- Serve
- Entertain
- Clean






SINK Model ZENUNO10 400 OPTIONS

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 31/2" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.


Minimum cabinet size: 500mm Includes 1 x Band B accessory






Shown with waste tidy, see page 221

1810 Code ZUO/40/U10/S/180





Spacers are provided to enable all accessories to be used on both upper and lower tier.



SINK Model ZENUNO10 800 OPTIONS

1810 Code ZUO/80/U10/S/181


- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3½" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.

Minimum cabinet size: 900mm Includes 1 x Band B accessory







Spacers are provided to enable all accessories to be used on both upper and lower tier.





SINK Model ZENDUO10 1100 OPTIONS

1810 Code ZDO/1100/U10/S/REV/182

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3¹/₂" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96


We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.

Minimum cabinet size: 1200mm Includes 1 x Band A and 1 x Band B accessory









Spacers are provided to enable all accessories to be used on both upper and lower tier.





SINK Model ZENUNO10 700 OPTIONS


1810 Code ZUO/700/U10/S/REV/183

- 10mm radius handmade undermount bowl
- Can also be flush mount and inset
- Satin finish
- 3¹/₂" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Additional accessories can be purchased seperately. See pages 95 - 96

We recommend leaving a reveal of 420mm to ensure maximum stability of the accessory. If the sink is installed without a reveal the accessory will sit on the worksurface.

Minimum cabinet size: 800mm Includes 1 x Band A and 1 x Band B accessory







Spacers are provided to enable all accessories to be used on both upper and lower tier.



SINK Model ZEN10 OPTIONS ACCESSORIES - BAND A

Band A -


Colander holder including colander and bowl AC-ZENOPT-COL


Chopping board AC-ZENOPT-CB


Large garnish board including 6 pots AC-ZENOPT-GB-LG

The natural bamboo accessories have been treated with wood wax and are therefore suitable for kitchen use.

Spacers are provided to enable all accessories to be used on both upper and lower tier.









SINK Model ZEN10 OPTIONS ACCESSORIES - BAND B

Band B -

Medium garnish board including 3 pots AC-ZENOPT-GB-MD


Small garnish board including 2 pots AC-ZENOPT-GB-SM


Drainer with bars 280mm AC-ZENOPT-DR-LG


Drainer with bars 180mm AC-ZENOPT-DR-SM


The natural bamboo accessories have been treated with wood wax and are therefore suitable for kitchen use.

Spacers are provided to enable all accessories to be used on both upper and lower tier.









The Accessible Range

A sink and tap combination suitable for use in accessible kitchens.



Tap suitable for accessible kitchens available - see page 172

FIN/01/CH/HANDLE FIN/02/BS/HANDLE FIN/04/COP/HANDLE FIN/05/GM/HANDLE

FIN/06/GB/HANDLE FIN/07/MB/HANDLE FIN/08/BGB/HANDLE

SINK Model ZENUNO15 34 I-F ACCESSIBLE BBL/BBR

- Inset bowl which can be flushfit or undermounted
- Shallower bowl to allow access
- Additional insulation on bottom of bowl to prevent heat transfer
- 3¹/₂" Basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Alternative sink and drainer sizes and bowl depth are available through our Bespoke service

Minimum cabinet size: 450mm For accessories see page 221



Zenuno15 34 I-F Accessible BBR




Zenuno15 34 I-F Accessible BBL

Shown with waste tidy, see page 221

1810 Code ZU/34/IF/U15/S/BBL/160 1810 Code ZU/34/IF/U15/S/BBR/161



Accessible handle available in all colour options FIN/01/CH/HANDLE, FIN/02/BS/HANDLE, FIN/04/COP/HANDLE, FIN/05/GM/HANDLE, FIN/06/GB/HANDLE, FIN/07/MB/HANDLE, FIN/08/BGB/HANDLE



The Accessory Trough Range

A versatile 1810 trough is the perfect addition to any new kitchen whether you are a regular party host or require the individuality of the accessories available.





Image shown ACCESSORY TROUGH 900 - COPPER

Accessories available in stainless steel, copper, gunmetal and gold brass

TROUGH Model ACCESSORY TROUGH 900

1810 Code AC-CHAN/900/S/201 1810 Code AC-CHAN/900/GM/205 1810 Code AC-CHAN/900/COP/203 1810 Code AC-CHAN/900/GB/207






Image shown ACCESSORY TROUGH 1200 - GUNMETAL

Accessories available in stainless steel, copper, gunmetal and gold brass

TROUGH Model ACCESSORY TROUGH 1200

1810 Code AC-CHAN/1200/S/202 1810 Code AC-CHAN/1200/COP/204

1810 Code AC-CHAN/1200/GM/206 1810 Code AC-CHAN/1200/GB/208





ACCESSORIES

AC-CHAN-PACK 1 - COPPER Glass Drainer Colander **Dish Rack**



AC-CHAN-PACK 1 - GUNMETAL Glass Drainer Colander Dish Rack



AC-CHAN-PACK 1 - GOLD BRASS Glass Drainer

Colander Dish Rack



Manufactured from 1.2mm thick stainless steel

1810 Code AC-CHAN-PACK 1 / 2 / 3

AC-CHAN-PACK 2-COPPER Chopping Board Holder Sapele Chopping Boards x 3

AC-CHAN-PACK 2-GUNMETAL

Sapele Chopping Boards x 3

AC-CHAN-PACK 2-GOLD BRASS

Board holder manufactured from 1.2mm thick stainless steel Sapele wood chopping boards

Chopping Board Holder

Chopping Board Holder

Sapele Chopping Boards x 3









The Luxsoplus Range

The Luxsoplus Range is a contemporary design with 25mm radius corners.

SINK Model LUXSOPLUSUNO25 160U

1810 Code LPU/16/U25/S/350


- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 31/2" basket strainer waste included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 300mm For accessories see page 221










LPU/18/U25/S/351





1810 Code LPU/18/U25/S/351





SINK Model LUXSOPLUSUNO25 180U

- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 31/2" basket strainer waste included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 300mm For accessories see page 221





SINK Model LUXSOPLUSUNO25 340U

1810 Code LPU/34/U25/S/352


- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 400mm For accessories see page 221





Shown with waste tidy, see page 221





ARGUARANT

SINK Model LUXSOPLUSUNO25 450U


Undermount bowl


- Satin finish
- Insusound[®] 🛞
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 500mm For accessories see page 221



Shown with waste tidy, see page 221





SINK Model LUXSOPLUSUNO25 500U


1810 Code LPU/50/U25/S/354

- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 600mm For accessories see page 221













SINK Model LUXSOPLUSUNO25 700U


1810 Code LPU/70/U25/S/355

- Undermount bowl
- Satin finish
- Insusound[®] (※)
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 800mm For accessories see page 221









"A cost effective alternative to a zen"

Image shown LUXSOPLUSDUO25 340/160 BBL

SINK Model LUXSOPLUSDUO25 340/160U BBL SINK Model LUXSOPLUSDUO25 160/340U BBR

Undermount bowl

- Satin finish
- Insusound[®] (※)
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 600mm For accessories see page 221




LUXSOPLUSDUO25 160/340 BBR



1810 Code LPD/3416/U25/S/BBL/357

1810 Code LPD/1634/U25/S/BBR/356



LUXSOPLUSDUO25 340/160 BBL Shown with waste tidy, see page 221



Image shown LUXSOPLUSDUO25 340/180U BBL

SINK Model LUXSOPLUSDUO25 340/180U BBL SINK Model LUXSOPLUSDUO25 180/340U BBR

- Undermount bowl
- Satin finish

11

- Insusound[®] 🛞
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 600mm For accessories see pages 214 & 215




LUXSOPLUSDUO25 180/340U BBR



LUXSOPLUSDUO25 340/180U BBL Shown with waste tidy, see page 221

1810 Code LPD/3418/U25/S/BBL/359 1810 Code LPD/1834/U25/S/BBR/358








Image shown LUXSOPLUSDUO25 500/180 BBL

SINK Model LUXSOPLUSDUO25 500/180U BBL SINK Model LUXSOPLUSDUO25 180/500U BBR

1810 Code LPD/5018/U25/S/BBL/361 1810 Code LPD/1850/U25/S/BBR/360

- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


Minimum cabinet size: 800mm For accessories see page 221



LUXSOPLUSDUO25 180/500U BBR







LUXSOPLUSDUO25 500/180U BBL Shown with waste tidy, see page 221

ARGUARANT

SINK Model LUXSOPLUSDUO25 340/340U

1810 Code LPD/3434/U25/S/362


- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template


113

Minimum cabinet size: 800mm For accessories see page 221









GUARAN



SINK Model LUXSOPLUSDUO25 450/450U


1810 Code LPD/4545/U25/S/363


- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Steel thickness 1.2mm
- Cut out template

Minimum cabinet size: 1000mm For accessories see page 221









The Etro Range

The Etro Range has a curved classic design.

11=11

In






SINK Model ETROUNO 170U

- Undermount bowl
- Satin finish
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 300mm For accessories see page 221







1810 Code EU/17/U/MS/034

Shown with waste tidy, see page 221



SINK Model ETROUNO 340U

- Undermount bowl
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 400mm For accessories see page 221






Shown with waste tidy, see page 221

1810 Code EU/34/U/MS/035







SINK Model ETROUNO 400U

- Undermount bowl
- Satin finish
- Insusound[®] 😣
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 450mm For accessories see page 221






Shown with waste tidy, see page 221

1810 Code EU/40/U/MS/036







SINK Model ETROUNO 550U

- Undermount bowl
- Satin finish
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221





Shown with waste tidy, see page 221

1810 Code EU/55/U/MS/037








Image shown ETRODUO 589/450 BBL

SINK Model ETRODUO 589/450U options — REV / BBL / BBR

Undermount bowl

- Satin finish
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221



Etroduo 589/450U REV







REV/031 / BBL/032 / BBR/033

1810 Code ED/5845/U/MS/





Etroduo 589/450U BBR Shown with waste tidy, see page 221



⁶⁶The 589's big brother. If you have an 800mm sink base or bigger, go for it!³³

Image shown ETRODUO 781/450U BBL

SINK MODEL ETRODUO 781/450U BBL SINK MODEL ETRODUO 450/781U BBR

1810 Code ED/7845/U/MS/BBL/100 1810 Code ED/4578/U/MS/BB<u>R/101</u>


 Undermount bowl
 Satin finish
 Insusound[®] (*)
 31/2" basket strainer waste and overflow included
 Individually boxed
 Individually boxed
 Steel thickness 1.2mm
 Maximiser plumbing kit included



Etroduo 450/781U BBR



Etroduo 781/450U BBL








Image shown ETRODUO 535/191U BBL

SINK MODEL ETRODUO 535/191U BBL SINK MODEL ETRODUO 191/535U BBR

1810 Code ED/5319/U/MS/BBL/103 1810 Code ED/1953/U/MS/BBR/104

- Undermount bowl
- Satin finish
- Insusound[®] 😣
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included


Minimum cabinet size: 900mm For accessories see page 221



Etroduo 191/535U BBR









A versatile double bowl that fits into an 800mm unit³³

SINK Model ETRODUO 340/340U


1810 Code ED/3434/U/MS/105

- Undermount bowl
- Satin finish
- Insusound[®] 🛞
- 3¹/₂" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 800mm For accessories see page 221







12



3 bowls, a practical sink when you don't always want to use your dishwasher!


SINK Model ETROTRIO 960/450U

- Undermount bowl
- Satin finish
- Insusound[®] Ø
- 3½" basket strainer waste and overflow included
- Individually boxed
- Steel thickness 1.2mm
- Maximiser plumbing kit included

Minimum cabinet size: 1000mm For accessories see page 221







1810 Code ET/9645/U/MS/102

The RAZOR10 Range

A range of inset sinks featuring a 10mm radius and contemporary 'Razor' edge profile



Image shown RAZORUNO10 5 I-F BBL

SINK Model RAZORUNO105I-F BBL SINK Model RAZORUNO105I-F BBR


- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound 8
- 31/2" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel

Minimum cabinet size: 500mm For accessories see page 221




Razoruno10 5 I-F BBL






1810 Code RU/5/IF/U10/S/BBL/250

1810 Code RU/5/IF/U10/S/BBR/251





Razoruno10 5 I-F BBR



13

SINK Model RAZORUNO10 55 I-F BBL SINK Model RAZORUNO10 55 I-F BBR

- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound 8
- 31/2" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel

Minimum cabinet size: 600mm For accessories see page 221




Razoruno10 55 I-F BBL





1810 Code RU/55/IF/U10/S/BBL/252

1810 Code RU/55/IF/U10/S/BBR/253



Razoruno10 55 I-F BBR

Shown with waste tidy, see page 221



SINK Model RAZORDUO10 6 I-F BBL SINK Model RAZORDUO10 6 I-F BBR


- Handmade inset bowl
- Razor edge profile
- Satin finish
- Insusound 8
- 31/2" Basker strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Top deck 3.5mm tapered edges
- No tap brace required when using high neck taps
- Bowl 1.2mm thick stainless steel

Minimum cabinet size: 600mm For accessories see page 221



Razorduo10 6 I-F BBL





Razorduo10 6 I-F BBR

1810 Code RD/6/IF/U10/S/BBL/254 1810 Code RD/6/IF/U10/S/BBR/255

The Forza Range

The handmade Forza range feature a 15mm internal radius and benefit from 1.2mm thick steel providing strength and durability.

STI



Image shown FORZAUNO 800i BBL

SINK MODEL FORZAUNO 800i BBL SINK MODEL FORZAUNO 800i BBR

- Handmade bowl welded to a pressed top frame
- Inset installation
- Insusound[®] 😣
- Satin finish
- Steel thickness 1.2mm
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 500mm For accessories see page 221








Forzauno 800i BBR



1810 Code FU/80/I/S/BBL/401






⁶⁴An extremely large bowl compatible with a standard size base unit³⁵

Image shown FORZAUNO 100i LARGE BBL

SINK MODEL FORZAUNO 100i LARGE BBL SINK MODEL FORZAUNO 100i LARGE BBR



Minimum cabinet size: 600mm For accessories see page 221




Forzauno 100i Large BBL



Forzauno 100i Large BBR

1810 Code FU/100/I/S/BBL/LGE/403 1810 Code FU/100/I/S/BBR/LGE/404



Shown with waste tidy, see page 221





at an affordable price"

Image shown FORZADUO 150i BBL

SINK MODEL FORZADUO 150i BBL SINK MODEL FORZADUO 150i BBR


Handmade bowl welded to a pressed top frame Inset installation Insusound[®] ⁽²⁾ Satin finish Steel thickness 1.2mm 3½ⁿ basket strainer waste and concealed overflow included Maximiser plumbing kit included Individually boxed Template included Minimum cabinet size: 600mm

Minimum cabinet size: 600mm For accessories see page 221



Forzaduo 150i BBL






1810 Code FD/150/I/S/BBL/405

1810 Code FD/150/I/S/BBR/406





Forzaduo 150i BBR

The **Bordo** Range

NOOS SM

A range of inset sinks featuring the latest in contemporary design.



Image shown BORDOUNO 800i BBL

SINK Model BORDOUNO 800i BBL SINK Model BORDOUNO 800i BBR

- Pressed bowl welded to a top frame
- Inset installation
- Insusound[®]
- Satin finish
- Steel thickness 1mm
- 31/2" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 500mm For accessories see page 221



Bordouno 800i BBL




1810 Code BU/80/I/S/BBL/420

1810 Code BU/80/I/S/BBR/421

Bordouno 800i BBR

Shown with waste tidy, see page 221








Image shown BORDOUNO 100i LARGE BBL

13

SINK Model BORDOUNO 100i LARGE BBL SINK Model BORDOUNO 100i LARGE BBR

 Pressed bowl welded to a top frame
 Inset installation
 Insusound[®] [®]
 Satin finish
 Steel thickness 1mm
 3½" basket strainer waste and concealed overflow included
 Maximiser plumbing kit included
 Individually boxed
 Template included

Minimum cabinet size: 800mm For accessories see page 221 Bordouno 100i LARGE BBL




1810 Code BU/100/I/S/BBL/LGE/422

1810 Code BU/100/I/S/BBR/LGE/423

Bordouno 100i LARGE BBR

Shown with waste tidy, see page 221








Image shown **BORDODUO 150i BBL**

SINK Model BORDODUO 150i BBL SINK Model BORDODUO 150i BBR

- Pressed bowl welded to a top frame
- Inset installation
- Insusound[®] 😣
- Satin finish
- Steel thickness 1mm
- 3¹/₂" basket strainer waste and concealed overflow included
- Maximiser plumbing kit included
- Individually boxed
- Template included

Minimum cabinet size: 600mm For accessories see page 221



Bordoduo 150i BBL





1810 Code BD/150/I/S/BBL/424

1810 Code BD/150/I/S/BBR/425

Bordoduo 150i BBR

Shown with waste tidy, see page 221





This sink is not suitable for use with a square based tap due to the rounded tap platform

The Velore Range

The Velore range combines modern design, high specification and competitive pricing

11.11

13


SINK Model VELOREUNO 860i

- Inset bowl and drainer
- Satin finish
- 3½" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 500mm For accessories see page 221







1810 Code VU/86/I/P/REV/047







450mm single bowl. Why not if you have space!

SINK Model VELOREUNO 100i LARGE


1810 Code VU/100/I/P/REV/LGE/050

- Inset bowl and drainer
- Satin finish
- 3½" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221









"Our value sink 0.8mm thick steel and all you need in the box"

SINK Model VELOREDUO 100i


1810 Code VD/100/I/P/REV/048

- Inset bowl and drainer
- Satin finish
- 3¹/₂" basket strainer waste and overflow included
- Fixing kit
- Individually boxed
- Single piece construction
- Steel thickness 0.8mm
- Maximiser plumbing kit included

Minimum cabinet size: 600mm For accessories see page 221







The <u>purquartz</u> Inset Blade Range

A range of inset Purquartz sinks in a choice of six popular colourways.





Image shown Metallic Grey

SINK Model BLADEUNO 860i

1810 Code


BLU/86/I/PQ/REV/BL/900 (Metallic Black) BLU/86/I/PQ/REV/CH/901 (Champagne) BLU/86/I/PQ/REV/CO/902 (Concrete) BLU/86/I/PQ/REV/GR/903 (Metallic Grey) BLU/86/I/PQ/REV/MO/904 (Mocha) BLU/86/I/PQ/REV/WH/905 (Polar White)


- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 450mm For accessories see page 221









-

SINK Model BLADEUNO 100i LARGE

BLU/100/I/PQ/REV/LGE/BL/910 (Metallic Black) BLU/100/I/PQ/REV/LGE/CH/911 (Champagne) BLU/100/I/PQ/REV/LGE/CO/912 (Concrete) BLU/100/I/PQ/REV/LGE/GR/913 (Metallic Grey) BLU/100/I/PQ/REV/LGE/MO/914 (Mocha) BLU/100/I/PQ/REV/LGE/WH/915 (Polar White)

- Inset Purquartz bowl
- Fixings included
- Matte finish

143

- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221












Image shown **Polar White**







Image shown Concrete

SINK Model BLADEDUO 150i

1810 Code


BLD/150/I/PQ/REV/BL/920 (Metallic Black) BLD/150/I/PQ/REV/CH/921 (Champagne) BLD/150/I/PQ/REV/CO/922 (Concrete) BLD/150/I/PQ/REV/GR/923 (Metallic Grey) BLD/150/I/PQ/REV/MO/924 (Mocha) BLD/150/I/PQ/REV/WH/925 (Polar White)


- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221









The <u>purquartz</u> Inset Shard Range

Quartz insets in a choice of contemporary colours

Image shown: Shardduo 150i with copper basket strainer waste and overflow complemented by the Courbe Purquartz tap with copper accents.

-



Image shown Metallic Grey

SINK Model SHARDDUO 615i

1810 Code


SD/615/I/PQ/REV/BL/800 (Metallic Black) SD/615/I/PQ/REV/WH/801 (Polar White) SD/615/I/PQ/REV/GR/802 (Metallic Grey) SD/615/I/PQ/REV/CH/803 (Champagne) SD/615/I/PQ/REV/MO/804 (Mocha) SD/615/I/PQ/REV/CO/805 (Concrete)


- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221









-

Pelur White Metallic Gray Champagne Mocha Contrate

Image shown Concrete

SINK Model SHARDUNO 100i Large

1810 Code

14


SU/100/I/PQ/REV/BL/810 (Metallic Black) SU/100/I/PQ/REV/WH/811 (Polar White) SU/100/I/PQ/REV/GR/812 (Metallic Grey) SU/100/I/PQ/REV/CH/813 (Champagne) SU/100/I/PQ/REV/MO/814 (Mocha) SU/100/I/PQ/REV/CO/815 (Concrete)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221









Shown with waste tidy, see page 221

Pular White Metallic Grey Champagne Mocha Concrete

Image shown Polar White

SINK Model SHARDDUO 150i

1810 Code


SD/150/I/PQ/REV/BL/820 (Metallic Black) SD/150/I/PQ/REV/WH/821 (Polar White) SD/150/I/PQ/REV/GR/822 (Metallic Grey) SD/150/I/PQ/REV/CH/823 (Champagne) SD/150/I/PQ/REV/MO/824 (Mocha) SD/150/I/PQ/REV/CO/825 (Concrete)

- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221









The <u>purquartz</u> Inset Delta Range

A comprehensive range of stylish, Purquartz inset sinks in a selection of tonal colourways





Metallic Black

SINK Model DELTAUNO 860i

1810 Code

DU/86/I/PQ/REV/WH/622 (Alpine White) DU/86/I/PQ/REV/BL/620 (Metallic Black) DU/86/I/PQ/REV/GR/621 (Metallic Grey)


- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 500mm For accessories see page 221



Metallic Grey





Alpine White

GUARA

Image shown Metallic Grey

SINK Model DELTAUNO 100i Large

14

DU/100/I/PQ/REV/WH/632 (Alpine White) DU/100/I/PQ/REV/BL/630 (Metallic Black) DU/100/I/PQ/REV/GR/631 (Metallic Grey)

- Inset Purquartz bowl
- Fixings included
- Matte finish

1810 Code


- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 600mm For accessories see page 221



Metallic Black












Image shown Alpine White

SINK Model DELTADUO 150i

1810 Code

DD/150/I/PQ/REV/BL/640 (Metallic Black) DD/150/I/PQ/REV/GR/641 (Metallic Grey) DD/150/I/PQ/REV/WH/642 (Alpine White)


- Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Reversible
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221


Minimum cabinet size: 600mm For accessories see page 221



Metallic Black







Metallic Grey

The <u>purquartz</u>

Undermount Cava Range

Quartz undermounts for a contrasting finish to your solid surface.

Image shown Champagne

SINK Model CAVAUNO 469U

1810 Code


CU/46/U/PQ/BL/700 (Metallic Black) CU/46/U/PQ/WH/701 (Polar White) CU/46/U/PQ/GR/702 (Metallic Grey) CU/46/U/PQ/CH/703 (Champagne) CU/46/U/PQ/MO/704 (Mocha) CU/46/U/PQ/CO/705 (Concrete)

- Undermount / Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221


Minimum cabinet size: 600mm For accessories see page 221







533.4









SINK Model CAVAUNO 720U

1810 Code

15


CU/72/U/PQ/BL/710 (Metallic Black) CU/72/U/PQ/WH/711 (Polar White) CU/72/U/PQ/GR/712 (Metallic Grey) CU/72/U/PQ/CH/713 (Champagne) CU/72/U/PQ/MO/714 (Mocha) CU/72/U/PQ/CO/715 (Concrete)

- Undermount Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221

Minimum cabinet size: 800mm For accessories see page 221







Shown with waste tidy, see page 221





SINK Model CAVADUO 335/155U

1810 Code

CD/3315/U/PQ/REV/BL/720 (Metallic Black) CD/3315/U/PQ/REV/WH/721 (Polar White) CD/3315/U/PQ/REV/GR/722 (Metallic Grey) CD/3315/U/PQ/REV/CH/723 (Champagne) CD/3315/U/PQ/REV/MO/724 (Mocha) CD/3315/U/PQ/REV/CO/725 (Concrete)


- Undermount / Inset Purquartz bowl
- Fixings included
- Matte finish
- 3¹/₂" strainer waste
- Waste tidy included
- Maximiser plumbing kit included
- Copper, gunmetal or gold brass effect basket strainer waste complete with overflow also available - see page 221


Minimum cabinet size: 600mm For accessories see page 221














The Argilla Fireclay Range

A range of highly durable white fireclay sinks featuring a non-porous surface with an everlasting shine.

-cu/250/WH/851




SINK Model ARGILLA FIRECLAY 250

- White fireclay bowl
- Suitable for top or undermount installation
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- G Clip installation recommended
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately











-180--

1810 Code FCU/250/WH/851




SINK Model ARGILLA FIRECLAY 450

- White fireclay bowl
- Suitable for top or undermount installation
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- G Clip installation recommended
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately

Minimum cabinet size: 500mm For accessories see page 221



1810 Code FCU/450/WH/852



PLEASE NOTE: A DXF is not available, sink should be used as template. When undermounting, a minimum gap of 4mm must be left between the sink and the worktop.




SINK Model ARGILLA FIRECLAY 800

- White fireclay double bowl
- Sit-on installation
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately



1810 Code FCD/800/WH/853



PLEASE NOTE: A DXF is not available, sink should be used as template.




SINK Model ARGILLA FIRECLAY BELFAST 595 1810 Code FCU/595/BEL/WH/850

- White fireclay Belfast sink
- Sit-on installation
- Weir overflow
- Hygienic
- Non-porous
- Chemical resistant
- Extremely hardwearing
- Tolerances: +/- 2% of dimensions
- Wastes not included
- Heat resistant to 1600°C
- Reversible
- Basket strainer waste complete with overflow available in stainless steel, copper, gunmetal and gold brass
- Basket strainer waste kits must be ordered separately


For accessories see page 221







PLEASE NOTE: A DXF is not available, sink should be used as template.



The Etro Ceramic Range

The Etro Ceramic Range has a curved classic design.








Available in BBR ONLY

SINK Model ETRODUO 343/136UC

1810 Code ED/3413/U/C/091-WH

- Undermount ceramic bowl
- Heat resistant to 1200°C
- Hygienic
- Non Porous
- Ultra smooth white surface
- Chemical resistant, inc neat bleach
- Extremely hardwearing
- Individually boxed
- 3¹/₂" basket strainer waste and overflow included
- G Clip installation recommended
- Maximiser plumbing kit included
- Copper or gold effect basket strainer waste complete with overflow also available
 see page 221





PLEASE NOTE: A DXF is not available, sink should be used as template. When installing, a minimum gap of 4mm must be left between the sink and the worktop.

1810 Taps

1810 Taps come in a variety of contemporary and classic designs, all come with a Neoperl Aerator which produces a non-splash creamy flow.





Image shown FON/01/CH

TAP MODEL FONTAINE SINGLE LEVER



FON/01/CH Finished in chrome

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar






Image shown COU/01/CH



TAP MODEL COURBE CURVED SPOUT





TAP MODEL CASCATA SQUARE SPOUT

1810 Code


CAS/01/CH **Finished in chrome**

CAS/02/BS Finished in brushed steel

CAS/07/MB Finished in matte black

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar





Suggested tap hole cutting size: ø35

CAS/01/CH







Image shown PLU/01/CH

TAP MODEL PLUIE ANGLED SPOUT

1810 Code

PLU/01/CH Finished in chrome


1810 Code

PLU/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar





Also available PLU/02/BS

NEOPERL AERATOR





Image shown DAV/01/CH

Pull-out version available please see page 169

TAP MODEL DAVANTI SINGLE LEVER

1810 Code

DAV/01/CH Finished in chrome


1810 Code

DAV/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available DAV/02/BS



Suggested tap hole cutting size: ø35

NEOPERL AERATOR



Image shown CUR/01/CH

TAP MODEL CURVATO SLIM LEVER CURVED SPOUT

1810 Code

CUR/01/CH Finished in chrome


1810 Code

CUR/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available CUR/02/BS





TAP MODEL RUSCELLO SQUARE BODY SLIM LEVER

1810 Code

RUS/01/CH Finished in chrome


1810 Code

RUS/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available RUS/02/BS



Suggested tap hole cutting size: ø35



NEOPERL AERATOR





Image shown SEN/01/CH

TAP MODEL 1810 XXX SINGLE LEVER

1810 Code

SEN/01/CH

Finished in chrome

1810 Code


SEN/02/BS

Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar









PEN/01/CH

TAP MODEL PENDENZA ANGLE SPOUT

1810 Code


PEN/01/CH **Finished in chrome**

1810 Code

PEN/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar





Suggested tap hole cutting size: ø35



Image shown DAV-P/01/CH

TAP MODEL DAVANTI PULL OUT SPRAY

1810 Code

DAV-P/01/CH Finished in chrome

1810 Code


DAV-P/02/BS

Finished in brushed steel

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar







Suggested tap hole cutting size: ø35



TAP MODEL GRANDE PULL OUT SPRAY

1810 Code

GRA/01/CH **Finished in chrome**


1810 Code

GRA/02/BS Finished in brushed steel

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar







Suggested tap hole cutting size: ø35

GRA/01/CH





Image shown VER/01/CH

TAP MODEL VERSARE SQUARE DESIGN

1810 Code

VER/01/CH Finished in chrome


1810 Code

VER/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar




Also available VER/02/BS





Accessible handle available in all colour options. See quick reference guide on page 213 for order codes Accessible handle is an extra and should be ordered in addition to the tap Image shown FIN/01/CH

TAP MODEL FINIRE KNURLED TWO HOLE







Image shown AER/01/CH

TAP MODEL AERO 3 HOLE TAP DESIGN

1810 Code AER/01/CH **Finished in chrome** 1810 Code AER/02/BS Finished in brushed steel 1810 Code AER/04/COP Finished in copper 1810 Code AER/05/GM Finished in gunmetal 1810 Code AER/06/GB Finished in gold brass Includes Neoperl Aerator and 1/2" flexible tails Min operating pressure - 0.5 bar

Recommended operating pressure - 1 bar







Includes handspray

Image shown NOV/01/CH


TAP MODEL NOVANTA 4 HOLE DESIGN


1810 Code NOV/01/CH Finished in chrome

1810 Code NOV/02/BS Finished in brushed steel

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar







Suggested tap hole cutting size: ø28

Image shown SPI-SPR/01/CH

NEOPERL AERATOR





Also available

SPI-SPR/02/BS

Also available

SPI-SPR/06/GB

SPI-SPR/01/CH Finished in chrome SPI-SPR/02/BS Finished in brushed steel

1810 Code

TAP Model SPIRALE SPRING

SPI-SPR/04/COP Finished in copper

SPI-SPR/05/GM

Finished in gunmetal SPI-SPR/06/GB

Finished in gold brass SPI-SPR/07/MB

Finished in matte black

SPI-SPR/08/BGB Finished in brushed gold brass

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure 1 bar










Also available SPI-SPR/05/GM




Also available SPI-SPR/08/BGB



Suggested tap hole cutting size: ø35







Spirale Knurled Hose Colours

Yellow	Orange	Wine	Mid Blue	White	Choco	late	Light grey	Latte	Green	Anthracite
Red	Black	Denim Blue	Concrete	Hot Pink	Indigo	Lime	Mocha	Pastel Blue	Pastel Green	

TAP Model SPIRALE FLEXIBLE SPOUT - KNURLED

1810 Code SPI-KNR/01/CH Finished in chrome SPI-KNR/02/BS Finished in brushed steel SPI-KNR/04/COP **Finished in copper** SPI-KNR/05/GM Also available Also available Also available Also available Finished in gunmetal SPI-KNR/02/BS SPI-KNR/06/GB SPI-KNR/01/CH SPI-KNR/04/COP SPI-KNR/06/GB Finished in gold brass SPI-KNR/07/MB Finished in matte black SPI-KNR/08/BGB Finished in brushed gold brass Includes Neoperl Aerator and 1/2" flexible tails Min operating pressure - 0.5 bar Recommended operating pressure - 1 bar Also available Also available Suggested tap hole SPI-KNR/08/BGB Tap includes hose colour of your choice SPI-KNR/07/MB cutting size: ø35





Image shown SPI/01/CH

Unless an alternative hose colour is specified at time of order, the Spirale tap will be supplied with a black hose.

TAP MODEL SPIRALE FLEXIBLE SPOUT





NEOPERL AERATOR



Image shown SPR/01/CH

Suitable for use alongside all 1810 taps

TAP MODEL SPRUZZO COLD RINSE HAND SPRAY

1810 Code SPR/01/CH

Finished in chrome

1810 Code SPR/02/BS Finished in brushed steel

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available SPR/02/BS






TAP MODEL CURVATO TRIO WATER FILTER

1810 Code CUR/01/CH/TRIO Finished in chrome

CUR/02/BS/TRIO Finished in brushed steel

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar





Suggested tap hole cutting size: ø35

purquartz Effect Taps

O D

0

r

A selection of 1810 taps that will compliment your Purquartz sink.


TAP MODEL 1810 XXX SINGLE LEVER

1810 Code

SEN/01/CH/PQ-BL (Metallic Black) SEN/01/CH/PQ-WH (Polar White) SEN/01/CH/PQ-GR (Metallic Grey) SEN/01/CH/PQ-CH Champagne) SEN/01/CH/PQ-MO (Mocha) SEN/01/CH/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Suggested tap hole cutting size: ø35

<u>purquartz</u> effect







Image shown COU-DUO/01/CH/PQ-BL

TAP MODEL COURBE DUO BLACK

1810 Code COU-DUO/01/CH/PQ-BL (Black)

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar

<u>purquartz</u> effect







Image shown COU-DUO/01/CH/PQ-WH

TAP MODEL COURBE DUO WHITE

1810 Code COU-DUO/01/CH/PQ-WH (White)

- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar





NEOPERL AERATOR

TAP MODEL COURBE CURVED SPOUT - CHROME

1810 Code

COU/01/CH/PQ-BL (Metallic Black) COU/01/CH/PQ-WH (Polar White) COU/01/CH/PQ-GR (Metallic Grey) COU/01/CH/PQ-CH (Champagne) COU/01/CH/PQ-MO (Mocha) COU/01/CH/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar






Image shown COU/01/CH/PQ/GR

PURQUARTZ EFFECT



Image shown CAS/01/CH/PQ-CO


TAP MODEL CASCATA SQUARE SPOUT - CHROME OURQUOITZ EFFECT

1810 Code


CAS/01/CH/PQ-BL (Metallic Black) CAS/01/CH/PQ-WH (Polar White) CAS/01/CH/PQ-GR (Metallic Grey) CAS/01/CH/PQ-CH (Champagne) CAS/01/CH/PQ-MO (Mocha) CAS/01/CH/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Suggested tap hole cutting size: ø35



TAP MODEL COURBE CURVED SPOUT - COPPER

purquartz EFFECT

1810 Code

COU/04/COP/PQ-BL (Metallic Black) COU/04/COP/PQ-WH (Polar White) COU/04/COP/PQ-GR (Metallic Grey) COU/04/COP/PQ-CH (Champagne) COU/04/COP/PQ-MO (Mocha) COU/04/COP/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Image shown CAS/04/COP/PQ-WH

DURQUARTZ EFFECT

TAP MODEL CASCATA SQUARE SPOUT - COPPER

1810 Code

CAS/04/COP/PQ-BL (Metallic Black) CAS/04/COP/PQ-WH (Polar White) CAS/04/COP/PQ-GR (Metallic Grey) CAS/04/COP/PQ-CH (Champagne) CAS/04/COP/PQ-MO (Mocha) CAS/04/COP/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar

Suggested tap hole cutting size: ø35



TAP MODEL COURBE CURVED SPOUT - GOLD BRASS OUR OUT COURSE CURVED SPOUT - GOLD BRASS

1810 Code

COU/06/GB/PQ-BL (Metallic Black) COU/06/GB/PQ-WH (Polar White) COU/06/GB/PQ-GR (Metallic Grey) COU/06/GB/PQ-CH (Champagne) COU/06/GB/PQ-MO (Mocha) COU/06/GB/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar




TAP MODEL CASCATA SQUARE SPOUT - GOLD BRASS DUIQUOITZ EFFECT

1810 Code

CAS/06/GB/PQ-BL (Metallic Black) CAS/06/GB/PQ-WH (Polar White) CAS/06/GB/PQ-GR (Metallic Grey) CAS/06/GB/PQ-CH (Champagne) CAS/06/GB/PQ-MO (Mocha) CAS/06/GB/PQ-CO (Concrete)



- WRAS Approved
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Suggested tap hole cutting size: ø35

Traditional & Industrial-Style Taps

Timeless kitchen taps to compliment classic kitchen styles.

Image shown ROD/01/CH

TAP MODEL RODEZ TWIN LEVER

1810 Code

ROD/01/CH (Chrome) ROD/02/BS (Brushed Steel) ROD/04/COP (Copper) ROD/05/GM (Gunmetal) ROD/06/GB (Gold Brass) ROD/07/MB (Matte Black) ROD/08/GB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar
- Supplied with both black and white handles, as shown on page 156

Suggested tap hole cutting size: ø35







TAP MODEL MOULINS CLASSIC BRIDGE MIXER

1810 Code

MOU/01/CH (Chrome) MOU/02/BS (Brushed Steel) MOU/04/COP (Copper) MOU/05/GM (Gunmetal) MOU/06/GB (Gold Brass) MOU/07/MB (Matte Black) MOU/08/BGB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar
- Supplied with both black and white handles, as shown on page 156

Suggested tap hole cutting size: ø28








The Henry Holt Collection

A range of industrial-style kitchen taps in a choice of seven stylish finishes



Image shown HH-SL/01/CH

TAP MODEL HENRY HOLT COLLECTION SINGLE LEVER





TAP MODEL HENRY HOLT COLLECTION TWIN LEVER

1810 Code

HH-TL/01/CH (Chrome) HH-TL/02/BS (Brushed Steel) HH-TL/04/COP (Copper) HH-TL/05/GM (Gunmetal) HH-TL/06/GB (Gold Brass) HH-TL/07/MB (Matte Black) HH-TL/08/BGB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar






TAP MODEL HENRY HOLT COLLECTION BRIDGE MIXER

1810 Code

- HH-BM/01/CH (Chrome) HH-BM/02/BS (Brushed Steel) HH-BM/04/COP (Copper) HH-BM/05/GM (Gunmetal) HH-BM/06/GB (Gold Brass) HH-BM/07/MB (Matte Black) HH-BM/08/BGB (Brushed Gold Brass)
- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar



Also available HH-BM/06/GB Also available HH-BM/07/MB Also available HH-BM/08/BGB



Suggested tap hole cutting size: ø28mm leaving a distance between the holes of 203mm (centre to centre)



Red handles also included


Image shown HH-WM/01/CH

TAP MODEL HENRY HOLT COLLECTION WALL MOUNTED

1810 Code

HH-WM/01/CH (Chrome) HH-WM/02/BS (Brushed Steel) HH-WM/04/COP (Copper) HH-WM/05/GM (Gunmetal) HH-WM/06/GB (Gold Brass) HH-WM/07/MB (Matte Black) HH-WM/08/BGB (Brushed Gold Brass)

- Includes Neoperl Aerator and 1/2" flexible tails
- Min operating pressure 0.5 bar
- Recommended operating pressure - 1 bar







Also available HH-WM06/GB

Also available HH-WM/07/MB

Also available HH-WM/08/BGB







After installation it is recommended that the tap is pressure tested and connections are thoroughly checked for any leaks before completion of finished wall covering.





The Integrated Soap Dispenser

A top filled liquid soap dispenser, easy to install and available in a range of colours.

Image shown SOAP DISPENSER CHROME

MODEL INTEGRATED SOAP DISPENSER

1810 Code

AC-SOAP/01/CH (Chrome) AC-SOAP/02/BS (Brushed Steel) AC-SOAP/04/COP (Copper) AC-SOAP/05/GM (Gunmetal) AC-SOAP/06/GB (Gold Brass) AC-SOAP/07/MB (Matte Black) AC-SOAP/08/BGB (Brushed Gold Brass)

- Top fill
- Easy to install
- 350ml capacity
- Top quality solid brass construction
- Pump action
- 26mm 29mm cut out











Also available AC-SOAP/05/GM




Also available AC-SOAP/08/BGB



WASTE BIN Model WSB 30 LITRE

- Conforms to the code for sustainable homes
- 4 Credits
- Min cabinet size 300mm
- Suitable to fit under a sink bowl
- Bin size 3 x 10ltr with colour coded handles
- Manual operation with soft close technology
- 2 year warranty

1810 Code WSB/30/3X10/099







WASTE BIN Model WSB 40 LITRE


1810 Code WSB/40/1x20-2x10/098


- Conforms to the code for sustainable homes
- 4 Credits
- Min cabinet size 400mm
- Suitable to fit under a sink bowl
- Bin size 1 x 20ltr & 2 x 10ltr with colour coded handles
- Manual operation with soft close technology
- 2 year warranty




SINKS + TAPS / QUICK REFERENCE GUIDE









Min cab size 600mm	Min cab size 900mm	Min cab size 900mm	Min cab size 900mm
ZENDUO15 180/340U p62	ZENDUO15 550/200U p63	ZENDUO15 200/550U p63	ZENDUO15 400/400U p64
ZD/1834/U15/S/BBR/082	ZD/5520/U15/S/BBL/150	ZD/2055/U15/S/BBR/151	ZD/4040/U15/S/084
ZEN15 PVD	Min cab size 450mm	Min cab size 450mm	Min cab size 600mm
ZENUNO15 400U - COPPER p66	ZENUNO15 400U - GUNMETAL p66	ZENUNO15 400U - GOLD BRASS p66	ZENUNO15 500U - COPPER p67
ZU/40/U15/COP/600	ZU/40/U15/GM/601	ZU/40/U15/GB/606	ZU/50/U15/COP/602
Min cab size 600mm	Min cab size 600mm	Min cab size 800mm	Min cab size 800mm
ZENUNO15 500U - GUNMETAL p67	ZENUNO15 500U - GOLD BRASS p67	ZENUNO15 700U - COPPER p68	ZENUNO15 700U - GUNMETAL p68
ZU/50/U15/GM/603	ZU/50/U15/GB/607	ZU/70/U15/COP/604	ZU/70/U15/GM/605
Min cab size 800mm	ZEN IF	Min cab size 600mm	Min cab size 500mm
ZENUNO15 700U - GOLD BRASS p68	ZENDUO 310/180 I-F BBL p70	ZENDUO 180/310 I-F BBR p70	ZENUNO 45 I-F DEEP p71
ZU/70/U15/GB/608	ZD/3118/IF/S/BBL/006	ZD/1831/IF/S/BBR/005	ZU/45/IF/D/S/045
Min cab size 500mm	Min cab size 500mm	Min cab size 800mm	Min cab size 800mm
ZENUNO 5 I-F BBL p72	ZENUNO 5 I-F BBR p72	ZENUNO 70 I-F DEEP BBL p73	ZENUNO 70 I-F DEEP BBR p73
ZU/5/IF/S/BBL/039	ZU/5/IF/S/BBR/026	ZU/70/IF/D/S/BBL/040	ZU/70/IF/D/S/BBR/041
Min cab size 600mm	Min cab size 600mm	ZEN15 IF	Min cab size 600mm
ZENDUO 6 I-F BBL p74	ZENDUO 6 I-F BBR p74	ZENUNO15 400 I-F p76	ZENUNO15 500 I-F p77
ZD/6/IF/S/BBL/038	ZD/6/IF/S/BBR/027	ZU/40/IF/U15/S/089	ZU/50/IF/U15/S/090





	BAND - B	ACCESSIBLE	Min cab size 450mm	ACCESSORY TROUGH
DRAINER WITH BARS 180MM AC-ZENOPT-DR-SM	p96	ZENUNO34 IF ACCESSIBLE BBL p98 ZU/34/IF/U15/S/BBL/160	ZENUNO34 IF ACCESSIBLE BBR p98 ZU/34/IF/U15/S/BBR/161	ACCESSORY TROUGH 900 SS p100 AC-CHAN/900/S/201
Ō	I	•	ō	0
ACC TROUGH 900 COPPER AC-CHAN/900/S/203	p100	ACC TROUGH 900 GUNMETAL p100 AC-CHAN/900/GM/205	ACC TROUGH 900 GOLD BRASS p100 AC-CHAN/900/GB/207	ACCESSORY TROUGH 1200 SS p101 AC-CHAN/1200/S/202
ACC TROUGH 1200 COPPER	p101	ACC TROUGH 1200 GUNMETAL p101	ACC TROUGH 1200 GOLD BRASS p101	TROUGH ACCESSORIES PACK 1 p102
AC-CHAN/1200/COP/204	pior	AC-CHAN/1200/GM/206	AC-CHAN/1200/GB/208	AC-CHAN-PACK1 SS / COP / GM / GB
TROUGH ACCESSORIES PACK 2 AC-CHAN-PACK2 SS / COP / GM / GB	2 p102	TROUGH ACCESSORIES PACK 3 p102 AC-CHAN-PACK3	Wild can be a set of the set of	ULXSOPILISUNO25 180U LPU/18/U25/S/351
LUXSOPLUSUN025 340U LPU/34/L25/S/352	Min cab size 400mm	time for the second sec	UXXSOPLUSUNO25 500U LPU/50/U25/S/354	UXSOPLUSUNO25 700U LEVU70/UZ2S/S355
LUXSOPLUSDU025 340/160U BBL LPD/3416/U25/\$/BBL/357	Min cab size 600mm 011d	UXXSOPLUSDU025 160/340U BBR LDD/1634/U25/S/BBR/356	WIXSOPLUSDUO25 340/180U BBL LPD/3418/U25/S/BBL/359 p111	UXXSOPLUSDUO25 180,340U BBR p111 LDD1834/U25/S/BBR358


Min cab size 800mm	Min cab size 800mm	Min cab size 800mm	Min cab size 1000mm
LUXSODUOPLUS25 500/180U BBL p112 LPD/5018/U25/S/BBL/361	LUXSOPLUSDU025 180/500U BBR p112 LPD/1850/U25/S/BBR/360	LUXSOPLUSDU025 340/340U p113 LPD/3434/U25/S/362	LUXSOPLUSDUO25 450/450U p114 LPD/4545/U25/S/363
VIII cep size 300m	Min cab size 400mm	Min cab size 450mm	Min cab size 6000mm
ETROUNO 170U p116 EU/17/U/MS/034	ETROUNO 340U p117 EU/34/U/MS/035	ETROUNO 400U p118 EU/40/U/MS/036	ETROUNO 550U p119 EU/55/U/MS/037
Min cab size 600mm	Min cab size 600mm	Min cab size 600mm	Min cab size 8000mm
ETRODUO 589/450U REV p120 ED/5845/U/MS/REV/031	ETRODUO 589/450U BBL p120 ED/5845/U/MS/BBL/032	ETRODUO 589/450U BBR p120 ED/5845/U/MS/BBR/033	ETRODUO 781/450U BBL p121 ED/7845/U/MS/ BBL/100
With the second se	Mu cab size 900m	Wu cab size boots and the size b	Wu cab size active contract of the size active contract of
ED/4578U/MS/BBR/101	ED/5319/U/MS/BBL/103	ED/1953/U/MS/BBR/104	ED/3434/U/MS/105
ET/9645/U/MS/102	RU/5/IF/U10/S/BBL/250	RU/5/IF/U10/S/BBR/251	RU/55/IF/U10/S/BBL/252
Min cab size 600mm	Min cab size 600mm	Min cab size 600mm	Vin cab size 500mm
RAZORUNO10 55 IF BBR p127 RU/55/IF/U10/S/BBR/253	RAZORDUO10 6 IF BBL p128 RD/6/IF/U10/S/BBL/254	RAZORDUO10 6 IF BBR p128 RD/6/IF/U10/S/BBR/255	FORZAUNO 800I BBL p130 FU/80/I/S/BBL/401












BASE UNIT SIZE GUIDE

AXIX RANGE / STAINLESS STEEL / COPPER / GUNMETAL	MIN CAB SIZE (MM)	LUXSOPLUS / STAINLESS STEEL	MIN CAB SIZE (MM)
AXIXUNO 190U	300	LUXSOPLUSUNO25 160U	300
AXIX UNO 210U	300	LUXSOPLUSUNO25 180U	300
AXIXUNO 450U	500	LUXSOPLUSUNO25 340U	400
AXIXUNO 500U	600	LUXSOPLUSUNO25 450U	500
AXIXUNO 700U	800	LUXSOPLUSUNO25 500U	600
AXIXUNO SET A	600	LUXSOPLUSUNO25 700U	800
AXIXUNO SET B	600	LUXSOPLUSDUO25 340/160U BBL + BBR	600
		LUXSOPLUSDUO25 340/180U BBL + BBR	600
ZEN RANGE / STAINLESS STEEL		LUXSOPLUSDUO25 500/180U BBL + BBR	800
ZENUNO 180U	300	LUXSOPLUSDUO25 340/340U	800
ZENUNO 340U / 340U DEEP	400	LUXSOPLUSDUO25 450/450U	1000
ZENUNO 400U / 400U DEEP	450		
ZENUNO 450U	500	ETRO RANGE / STAINLESS STEEL	
ZENUNO 500U / 500U DEEP / 500U OSW	600	ETROUNO 170U	300
ZENUNO 700U / 700U OSW	800	ETROUNO 340U	400
ZENDUO 340/180U + 180/340U	600	ETROUNO 400U	450
ZENDUO 550/180U + 180/550U	800	ETROUNO 550U	600
ZENDUO 700/180U GRANDE DEEP	1000	ETRODUO 589/450U REV + BBL + BBR	600
ZENDUO 340/340U	800	ETRODUO 781/450U BBL + BBR	800
ZENDUO 400/400U	900	ETRODUO 535/191U BBL + BBR	900
ZENDUO 415/415U DEEP	900	ETRODUO 340/340U	800
ZENTRIO 340/180/340U	1000	ETROTRIO 960/450U	1000
ZENUNO 675U CURVE	800		
		RAZOR10 RANGE / STAINLESS STEEL	
ZEN 15 RANGE / STAINLESS STEEL		RAZORUNO10 5 IF BBL + BBR	500
ZENUNO15 200U	300	RAZORUNO10 55 IF BBL + BBR	600
ZENUNO15 340U	400	RAZORDUO10 6 IF BBL + BBR	600
ZENUNO15 400U	450		
ZENUNO15 500U / 500U OSW	600	FORZA RANGE / STAINLESS STEEL	
ZENUNO15 550U / 550U DEEP	600	FORZADUO 150i BBL + BBR	600
ZENUNO15 700U / 700U OSW / 700U DEEP	800	FORZAUNO 800i BBL + BBR	500
ZENDU015 340/180U + 15 180/340U	600	FORZAUNO 100i BBL + BBR	600
ZENDUO15 550/200U + 15 200/550U	900		
ZENDUO15 400/400U	900	BORDO RANGE / STAINLESS STEEL	
		BORDOUNO 800i BBL + BBR	500
ZEN15 PVD RANGE / COPPER / GUNMETAL		BORDOUNO 100i LARGE BBL + BBR	800
ZENUNO15 400U - COPPER / GUNMETAL / GOLD BRASS	450	BORDODUO 150i BBL + BBR	600
ZENUNO15 500U - COPPER / GUNMETAL / GOLD BRASS	600		
ZENUNO15 700U - COPPER / GUNMETAL / GOLD BRASS	800	VELORE RANGE / STAINLESS STEEL	
		VELOREDUO 100i	600
ZEN I-F RANGE / STAINLESS STEEL		VELOREUNO 860i	500
ZENDUO 180/310 I-F BBR + 310/180I-F BBL	600	VELOREUNO 100i LARGE	600
ZENUNO 45 I-F DEEP	500		
ZENUNO 5 I-F BBL + BBR	500	BLADE / PURQUARTZ	
ZENUNO 70 I-F DEEP BBL + BBR	800	BLADEUNO 860i	450
ZENDUO 6 I-F BBL + BBR	600	BLADEUNO 100i LARGE	600
		BLADEUNO 150i	600
ZEN15 I-F RANGE / STAINLESS STEEL			
ZENUNO15 400 I-F	450	SHARD / PURQUARTZ	
ZENUNO15 500 I-F	600	SHARDDUO 615i	600
ZENUNO15 700 I-F	800	SHARDUNO 100i LARGE	600
ZENUNO15 5 I-F BBL + BBR	500	SHARDDUO 150i	600
ZENUNO15 55 I-F BBL + BBR	600		
ZENDUO15 6 I-F BBL + BBR	600	DELTA / PURQUARTZ	
ZENDUO15 34/34 IF BBL + BBR	800	DELTAUNO 860i	500
		DELTAUNO 100i Large	600
ZEN15 XXL RANGE / STAINLESS STEEL		DELTADUO 150i	600
ZENUNO15 550U XXL DEEP	600		
ZENUNO15 750U XXL DEEP	900	CAVA / PURQUARTZ	
ZENUNO15 550/340U XXL DEEP	1000	CAVAUNO 469U	600
		CAVAUNO 720U	800
ZEN10 OPTIONS / STAINLESS STEEL		CAVADUO 355/155U	600
	500		000
ZENUNO10 400 OPTIONS			
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS	900		
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS ZENUNO10 1100 OPTIONS	1200	ARGILLA FIREPLAY / CERAMIC	200
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS		ARGILLA FIRECLAY 250	300 500
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS ZENUNO10 1100 OPTIONS ZENUNO10 700 OPTIONS	1200		300 500
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS ZENUNO10 1100 OPTIONS	1200	ARGILLA FIRECLAY 250 ARGILLA FIRECLAY 450	
ZENUNO10 400 OPTIONS ZENUNO10 800 OPTIONS ZENUNO10 1100 OPTIONS ZENUNO10 700 OPTIONS	1200	ARGILLA FIRECLAY 250	



Care & Cleaning

General care of The 1810 Company stainless steel sink and tap

Sinks

Discolouration and most marks on stainless steel are caused by waterborne deposits clinging to its surface. They are always the result of an outside source rather than coming from the steel itself. Such stains are often seen as a "rainbow-effect" and can be avoided completely by removing wet cleaning aids (cloths, containers etc.) from the sink after use so as to avoid watermarking and rust stains. One of the best ways to care for the sink is to clean it with a product called 'Quean Clean' (available from www.gueanclean.co.uk) which can be used as required. It will also remove grease and limescale. It is helpful to dry the sink thoroughly after cleaning.

Avoid

- (a) the use of plastic bowls for washing up, as these cause heavy localised scratching;
- (b) leaving salt, vinegar, citric fruit juices, mustard or pickles on the surface for any length of time as they can cause corrosion;
- (c) abrasive cleaners such as bleach, scourers or wire woolpads.

Care needs to be taken not to damage the tap finish - cleaning should be gentle with a rinsed soft mild soapy cloth only. If limescale is a problem around the nozzle then gentle use of a small brush with some lemon juice will help alleviate the problem -taking care to rinse away any remaining lemon juice from the tap.

Scratching – stainless steel

The surface scratches which appear on stainless steel sinks rarely have any appreciable depth and will become less noticeable with age. A stainless steel sink will develop a patina with time and will look better a year after installation than during the first few months of use due to the fact that the scratching will have evened out. All sinks manufactured in stainless steel perform in exactly the same way in this respect be they manufactured by The 1810 Company or a competitor. We recommend the use of 'Quean Clean' which when used regularly will assist in maintaining vour sink.

We would point out that the use of a plastic washing up bowl will over time cause the development of regular abrasion marks over the sink's surface. Inox Cream - for use on stainless steel to be used after 'Quean Clean'. To use the Inox Cream, apply with a damp cloth (like a J-Cloth) using circular motions, allow to dry (to a white powder), then buff off with kitchen roll. The Inox Cream forms a waterproof layer on your sink, which helps the water drain off easier.

The 1810 Company are extremely stringent in the guality and standards required from the steel suppliers. The material used is high quality stainless steel which is metallurgically incapable of rusting or corroding in normal household conditions.

It can, however, harbour ferrous particles from the water supply and these often occur with newer installations when the pipework is disturbed, or from 'wire' scouring pads or utensils. These filings get deposited and cling to the sink surface and unless removed will rust.

In this instance we would recommend that the sink is cleaned thoroughly using 'Quean Clean'. This should be sprinkled onto the sink and scrubbed into a paste with a stiff nylon nailbrush (NB simply using a nylon washing up brush is not sufficient as the product needs to be worked into the 'valleys' of the texture of the sink), which should be left on the sink for at least thirty minutes before thoroughly rinsing off.

We would point out that unless the particles are completely removed they will return. It is therefore very important that after cleaning the sink, it is dried thoroughly.

This process needs to continue at least daily for a period of 7 to 10 days until the problem disappears. The problem is sometimes particularly obstinate to remove and it may take several attempts to restore the sink to its pristine condition.

Care & Cleaning of your CERAMICA | PURO Sink

Your new 1810 company Ceramic Sink is a high quality product, and has an impervious surface that is resistant to most household cleaning products and chemicals. Our products are carefully tested to be sure they perform to the highest standards. Please use a damp clean cloth for general cleaning.

Should you need to remove grease, soap and water marks, a proprietary bathroom cleaner should be used. Please be sure that the products are non abrasive, as they will dull the gloss surface of the product if used. Using a diluted bleach solution twice weekly applied with a sponge or soft cloth, then rinsed thoroughly with lots of water, will maintain the surface shine and keep your sink hygienically clean.

(NB: Care should always be taken when using bleach, please read manufacturers instructions for use.) Tougher limescale deposits can usually be removed using household vinegar or similar vinegar solutions. Care should be taken when using substances containing fluoride. Always ensure that any deposits are removed immediately before they can cause damage to the sinks surface. Any stubborn marks on the surface can be removed by liquid or cream bathroom cleaner, but marks such as those caused by iron or aluminium saucepans or similar objects can be removed using specialist cleaning products such as 'Astonish Oven and Cookware Cleaner' which are available from most supermarkets or online at 'www.astonishcleaners.com'.

Your new sink has a glazed ceramic surface, which although very strong, can be damaged by sharp metallic objects such as cutlery. Special care must be taken not to drop metal objects onto the surface of your sink.

Care & Cleaning of your OUrQUOItZ Sink

Daily cleaning may be done with any non-abrasive cleaner. After every use, rinse and wipe the sink dry with a clean, soft cloth to eliminate any water spots or soap film build-ups.

REMOVING STAINS AND MINOR SCUFF MARKS:

Normal Stains - for stains, please use a mild abrasive cleanser, along with a soft scouring pad. Stubborn Stains - A solution of 50% bleach, 50% water should only be used for tough, stubborn stains. Let the solution sit in the bottom of the sink for one hour; then scrub. Rinse well.

LUSTRE: Mineral oil applied with a damp cloth can be used to restore the lustre.

MISCELLANEOUS: To remove Calcium Deposits (a white ring around the bottom of your sink) use a lime scale cleaner.

To remove adhesive labels: use Acetone (nail polish remover). WHAT NOT TO USE:

- (1) Do not use any abrasive cleaning agents or scrub pads, such as Steel wool
- (2 Straight bleach
- (3) Commercial alkalis, such as ammonia and/or caustic solutions
- (4) Drain blocking chemicals that involve filling the sink with water
- Note: Always test any stain removers in a small, non-visible location

Care & Cleaning of your PVD sink

We would advise that the sink is cleaned after each use with soapy water. To dry, use a soft cloth or sponge. This will help prevent water spotting and mineral build-up on the surface of the sink.

- (1) Never use steel wool in or on the sink (as it may leave steel deposits on the sink, which can cause rust)
- (2) Avoid all abrasive and aggressive chemicals
- (3) Avoid using harsh chemicals or bleaches
- (4) Avoid prolonged contact with ordinary steel containers (eg. Tin cans) as it may rust and stain the sink
- (5) Avoid prolonged exposures to acids from fruits, fruit juices, salts, tea bags etc, as these may leave stains
- (6) Avoid leaving liquid soaps, hand sanitizing liquids etc on the surface, as these may leave stains.

Warranty Information

The 1810 Company products feature the highest degree of technology, quality and design. As a result, we are proud to offer the following warranty.

Sinks

The 1810 Company warrants its sinks to be free of manufacturing defects in material and workmanship under normal residential usage for 75 years.


Taps

All taps installed in a private residence carry a 5 year warranty on all mechanical parts to be free of manufacturing defects in material and workmanship under normal usage. All finishes carry a 5 year warranty.

General

In the event of a warranty claim the owner will be required to provide proof of purchase in the form of a sales receipt. This warranty covers all components which make the product operational. The 1810 Company, at its option, may repair or replace the product or components necessary to restore the product to good working condition. The 1810 Company reserves the right to inspect the installation prior to the actual replacement of the product or component part.

This warranty does not cover misuse or abuse, accidental damages, scuffs or scratches, improper installation, abnormal usage, negligence or damage caused by improper maintenance or cleaning. Normal wear of parts is excluded from the warranty. Damage caused by impurities or acts beyond our control are not covered. Any product or part which has been repaired or altered in any manner outside of The 1810 Company's factory, unless previously authorised in writing by The 1810 Company, will void warranty. Any replacement excludes transportation and any labour re-installation costs.



SA37306 / Product Range 2021_v16 Design by weareable.uk.com

Head Office

Units 14-16 Bromfield Industrial Estate Queens Lane Mold CH7 1JR

t. +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.co.uk w. www.the1810company.co.uk

London Showroom

Suite 303 Business Design Centre 52 Upper Street Islington London N1 0QH

t. +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.co.uk w.www.the1810company.co.uk

Ireland

t. 01 485 4472 (ROI) **t.** +44 (0) 1978 660 770 **f.** +44 (0) 1978 660 771

e. sales@the1810company.ie w. www.the1810company.com









